



# USE OF TECHGEO NONWOVEN GEOTEXTILE FOR HIMMATNAGAR LANDFILL, GUJARAT

### **Project Description**

Project: Himmatnagar Landfill Site,

Katvad Road, Opp. Vidyanagari School,

Himmatnagar, Gujarat India.

Client: Gujarat Urban Development Company Ltd (GUDC)

**Consultant:** Mahindra Acres Consulting Engineers Limited

SENES Consultants India Private Ltd

**Contractor:** M/s Super Construction Company,

2, Shriram Complex, First Floor, Below Dena Bank, Regional Office,

Radhanpur Road,

Mehsana-384002, Gujarat.

**Product:** TechGeo Nonwoven Geotextile 500 Gsm.

(Polypropylene Staple Fibre, Needle Punched, UV Stabilized)

**Manufacturer:** Tech**Fab** (India) Industries Ltd.



TechGeo laid over the Side Slopes of Landfill





#### Salient Features of the Project

TechGeo Nonwoven Quantity: 24,000 Sqm

Supply Date: October 2010

#### The Challenge

Hon. Supreme Court has passed an order to make scientific treatment and disposal of solid waste mandatory, as per the MSW-Rules-2000. Government of Gujarat thereby initiated the formation of Gujarat Urban Development Projects (GUDP) programme, with an aid of US \$ 300 million from the World Bank. GUDC was appointed as nodal agencies vide the resolution dated 13/09/05 to implement the Municipal Solid Waste Management project for the ULBs of the state of Gujarat. Technical consultants were appointed for Designs, DPR's, DTP's & Supervision of landfill sites at critical stages during construction work.

Himmatnagar Landfill site located in the state of Gujarat is one of the many landfill sites under the GUDC programme.










#### **The Solution**

Considering the vital importance of the project for an effective growth of the city and protection of the environment, Consultants approved the use of Nonwoven Geotextile in the Himmatnagar landfill site. TechFab (India) Industries Ltd met all the tender specifications required for the Nonwoven Geotextile to be used in the landfill site. TechFab (India) Industries Ltd thereby successfully supplied TechGeo Nonwoven Geotextile with mass per unit area of minimum 500 Gsm. TechGeo (Nonwoven Geotextile) supplied was made of Polypropylene staple fibre, needle punched and UV stabilized as per the tender specifications. Third party testing of TechGeo was carried out at Central Institute of Plastics Engineering & Technology (CIPET) and was found satisfactory.









#### Benefits of TechGeo Nonwoven Geotextile

TechGeo Nonwoven Geotextile used at the site was made of Polypropylene Staple Fibre, Needle Punched and UV Stabilized. It serves multifold applications, which are as follows:

- 1. TechGeo acts as a "Cushion" (protection layer) to protect to the Geomembrane liner which is used as barrier against all forms of liquids, gases etc. TechGeo protects the Geomembrane liner against any puncture from any external means.
- 2. TechGeo acts as a "Separator" (separation layer) at the landfill sites by preventing the mixing of two dissimilar materials above and below the TechGeo layer. Thereby the TechGeo prevents any clogging of drainage system.
- 3. TechGeo acts as a *"Filter"* (filtration layer) at the landfill site by preventing any soil particles from entering into the drainage system.
- 4. TechGeo acts as a "Drain" (drainage media) at the landfill site by allowing in plane drainage of water through it. The drainage of Leachate is carried out by other drainage mediums like drain board etc.

For further details kindly contact:

TechFab India Industries Ltd. 711/712, Embassy Centre, Nariman Point, Mumbai – 400021

Phone: 022-2287 6224/6225 Fax: 022-2287 6218

Email: <a href="mailto:anant@techfabindia.com">anant@techfabindia.com</a>
Web: <a href="mailto:www.techfabindia.com">www.techfabindia.com</a>